

SAFETY DATA SHEET

SECTION 1: IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier:

ARMOR SLIDE | BRUNSWICK

Alternate Names: ARMOR SLIDE | BRUNSWICK
Product Part Number: 62-860024-000,80-9041

1.2. Relevant identified uses of the mixture and uses advised against:

Aqueous Silicone for professional use.

Application Method: see Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet:

Brunswick Bowling Products, LLC

525 W. Laketon Ave.
Muskegon, MI 49441. USA

1.3.1. Responsible person: -

E-mail: brunswick.hu@brunswickbowling.com

1.4. Emergency telephone number:

24-hour Emergency Telephone No.: CHEMTEL +1 813-248-0585
Customer Service: Brunswick Bowling Products LLC: 231-725-4966

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the mixture:


Classification according to Regulation 1272/2008/EC (CLP):
Flammable Liquids 3 – H226
Eye irritation 2 – H319
Specific target organ toxicity (STOT) – single exposure 3 – H336

Warning **H statements:**

H226 – Flammable liquid and vapour.
H319 – Causes serious eye irritation.
H336 – May cause drowsiness or dizziness.

2.2. Label elements:

Components which define the hazards: Isopropyl Alcohol



WARNING

Warning **H statements:**

H226 – Flammable liquid and vapour.
H319 – Causes serious eye irritation.
H336 – May cause drowsiness or dizziness.

Precautionary P statements:

- P210** – Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P235** – Keep cool.
- P240** – Ground/bond container and receiving equipment.
- P241** – Use explosion-proof electrical/ventilating/lighting/equipment.
- P242** – Use only non-sparking tools.
- P243** – Take precautionary measures against static discharge.
- P261** – Avoid breathing dust/ fume/gas/mist/ vapours/spray.
- P264** – Wash thoroughly after handling.
- P271** – Use only outdoors or in a well-ventilated area.
- P280** – Wear protective gloves/eye protection/face protection.
- P303 + P361 + P353** – IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304 + P312** – IF INHALED: Call a POISON CENTER/ doctor/if you feel unwell.
- P340** – Remove person to fresh air and keep comfortable for breathing.
- P305 + P351 + P338** – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P332 + P313** – If skin irritation occurs: Get medical advice/attention.
- P337 + P313** – If eye irritation persists: Get medical advice/attention.
- P370 + P378** – In case of fire: Use extinguishing media listed in section 5 of SDS to extinguish.
- P405** – Store locked up.
- P403 + P233** – Store in a well-ventilated place. Keep container tightly closed.
- P501** – Dispose of contents/container in accordance with local / national regulations.

- 2.3. Other hazards:
May cause skin irritation.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

- 3.1. Substance:
Not applicable.
- 3.2. Mixture:

Description	CAS number	EC number	REACH reg. nr.	Conc. (%)	Classification: 1272/2008/EC (CLP)		
					Hazard pict.	Hazard cat.	H phrase
Isopropyl Alcohol [1] [2]	67-63-0	200-661-7	-	25-50	GHS02 GHS07 Danger	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H336
Ethylene glycol monobutyl ether [1] [2]	111-76-2	203-905-0	-	1-5	GHS07 Warning	Acute Tox. 4 Acute Tox. 4 Acute Tox. 4 Eye Irrit. 2 Skin Irrit. 2	H332 H312 H302 H319 H315

- [1] Substance classified with a health or environmental hazard.
[2] Substance with a workplace exposure limit.

For the full text of H phrases: see Section 16.

SECTION 4: FIRST AID MEASURES

- 4.1. Description of first aid measures:
General:
Treat symptomatically. Effects of contact or inhalation may be delayed. Keep warm and in a quiet place. Additional information is given in the SDS.
- IN CASE OF INGESTION:
Measures:
- If swallowed obtain immediate medical attention.
- Keep at rest.
- Do NOT induce vomiting.
- IN CASE OF INHALATION:
Measures:

- Remove to fresh air, keep patient warm and at rest.
- If breathing is irregular or stopped, give artificial respiration.
- If unconscious place in the recovery position and obtain immediate medical attention.
- Give nothing by mouth.

IN CASE OF SKIN CONTACT:

Measures:

- Remove contaminated clothing.
- Wash skin thoroughly with soap and water or use a recognized skin cleanser.

IN CASE OF EYE CONTACT:

Measures:

- Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.

4.2. **Most important symptoms and effects, both acute and delayed:****Overview**

Pre-existing medical conditions aggravated by exposure may include disorders of the skin, respiratory and central nervous system.

EFFECTS:

May irritate skin and cause redness and pain. Respiratory track irritation. Exposure to solvent vapour concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

Inhalation May cause drowsiness or dizziness.

Eyes Causes serious eye irritation.

Skin Causes mild skin irritation. (Not adopted by US OSHA)

4.3. **Indication of any immediate medical attention and special treatment needed:****NOTES TO PHYSICIAN:**

Treat symptomatically. No artificial respiration, mouth-to-mouth or mouth to nose. Use suitable instruments/apparatus. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: FIREFIGHTING MEASURES5.1. **Extinguishing media:**

5.1.1. Suitable extinguishing media:

Foam, CO₂, Dry Chemical.

5.1.2. Unsuitable extinguishing media:

None known.

5.2. **Special hazards arising from the substance or mixture:**

Flammable liquid and vapour.

Hazardous decomposition: Thermal decomposition can lead to release of irritating gases and vapours.

5.3. **Advise for firefighters:**

Keep away from sources of ignition. Prevent fire-fighting water from entering surface water or groundwater. Cool container with spray water from a safe distance. Never use welding or cutting torch on or near container (even empty) because product may ignite explosively.

COMBUSTION PRODUCTS: Vapours heavier than air. Development of hazardous combustion gases or vapours possible in the event of fire.

Use self-contained breathing apparatus, use water for cooling container to prevent pressure build up, auto-ignition or explosion. Avoid spreading burning liquid with water.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

ERG Guide No.: 128

SECTION 6: ACCIDENTAL RELEASE MEASURES6.1. **Personal precautions, protective equipment and emergency procedures:**

6.1.1. For non-emergency personnel:

Keep unprotected people away, allow only well trained experts wearing suitable protective clothing to abide in the field of accident.

6.1.2. For emergency responders:

Put on appropriate personal protective equipment (see section 8).

PERSONAL PRECAUTIONS: Avoid substance contact. Do not inhale vapours. Ensure fresh air supply in enclosed areas.

PROTECTIVE EQUIPMENT: Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the substances being handled. The resistance of the protective clothing should be ascertained from the respective supplier. Respiratory protection required when vapours are generated. Splash goggles. Chemical resistant gloves and skin cream.

EMERGENCY PRECAUTIONS: Prevent from spreading or entering into drains, ditches or rivers by using sand, earth, or other appropriate barriers. Wear personal protective equipment. Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions:

For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water. Collect the resulting residue containing solution. Place in a metal container approved for transportation by appropriate authorities. Dispose of collected material as soon as possible.

Do not allow spills to enter drains or waterways.

6.3. Methods and material for containment and cleaning up:

Use inert absorbent material to take up spilled material. Place in appropriate container until proper disposal method is determined.

SMALL SPILL: Eliminate all ignition sources. Contain the spill utilizing absorbent pads and absorbent dike/burm material. Place the spilled material in a salvage container for disposal according to local/national regulations. Clean up any remaining residue according to company policy. Ensure that no material enters the water system or sewer system. Local authorities should be contacted if Use personal protective equipment. Ensure adequate ventilation. Keep people away from and upwind of spill/leak.

LARGE SPILL: Eliminate all ignition sources. Prevent spreading over a wide area (e.g. by the use of berms or dikes created with absorbent material.) Do not let product enter drains. Do not flush into surface water or sanitary sewer system. Local authorities should be advised if significant spillages cannot be contained. Consideration should be given to contacting specialized vendors to assist in mitigating the spill.

6.4. Reference to other sections:

For further and detailed information see section 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling:

Observe conventional hygiene precautions.

Wear protective gloves/eye protection/face protection.

Avoid generation of vapors.

Do not inhale vapors.

See section 2 for further details.

Use good personal hygiene practices.

Wash hands before eating, drinking, smoking or using toilet.

Promptly remove soiled clothing and wash thoroughly before reuse.

Technical measures:

Keep container tightly closed.

Precautions against fire and explosion:

Keep away from heat/sparks/open flames/hot surfaces. **NO SMOKING.**

Ground/Bond container and receiving equipment.

Use explosion-proof electrical equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

7.2. Conditions for safe storage, including any incompatibilities:

Technical measures and storage condition:

Handle containers carefully to prevent damage and spillage.

Keep away from open flames, hot surfaces and sources of ignition. Keep container tightly closed in a dry and well ventilated place. Keep at a temperature between 0 °C to 50 °C.

Store in well-ventilated area between 4 °C and 38 °C.

Store away from heat and sources of ignition.

The general information given should be used with discretion.

Incompatible materials: This material is incompatible with strong oxidizing agents, strong mineral acids, alkali metals and halogens.

See section 2 for further details.

Incompatible materials: none known.

Packaging material: no special prescriptions.

7.3. Specific end use(s):

No specific instructions available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters:

Occupational exposure limit values:

EH40/2005 Workplace exposure limits:

Brunswick Bowling Products, LLC

Isopropyl Alcohol (CAS: 67-63-0):Long-term exposure limit (8-hr TWA reference period): 400 ppm; 999 mg/m³;Short-term exposure limit (15 minute reference period): 500 ppm; 1250 mg/m³**Ethylene glycol monobutyl ether** (CAS: 111-76-2):Long-term exposure limit (8-hr TWA reference period): 25 ppm; 123 mg/m³;Short-term exposure limit (15 minute reference period): 50 ppm; 246 mg/m³

DNEL		Routes of exposure	Exposure frequency:	Remarks:
Worker	Consumer			
no data available	no data available	Dermal	Short term (acute) Long term (repeated)	no data available
no data available	no data available	Inhalative	Short term (acute) Long term (repeated)	no data available
no data available	no data available	Oral	Short term (acute) Long term (repeated)	no data available

PNEC			Exposure frequency:	Remarks:
Water	Soil	Air		
no data available	no data available	no data available	Short term (single use) Long term (continuous)	no data available
no data available	no data available	no data available	Short term (single use) Long term (continuous)	no data available
no data available	no data available	no data available	Short term (single use) Long term (continuous)	no data available

8.2. Exposure controls:

In case of a hazardous material with no controlled concentration limit it is the employer's duty to keep concentration levels down to a minimum achievable by existing scientific and technological means, where the hazardous substance poses no harm to workers.

8.2.1 Appropriate engineering controls:

In pursuance of work is proper foresight needed to avoid spilling onto clothes and floors and to avoid contact with eyes and skin.

Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices

Eye bath and safety shower, uniforms or aprons may be used to avoid excessive contact. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

8.2.2. Individual protection measures, such as personal protective equipment:

1. Eye/face protection: Safety glasses with side shields (EN 166).
2. Skin protection:
 - a. Hand protection: Polyvinyl acetate/protective gloves (EN 374).
 - b. Other: Chemical resistant gloves/gauntlets, boots, and apron (where risk of splashing.)
3. Respiratory protection: If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
4. Thermal hazards: none known.

8.2.3. Environmental exposure controls:

No specific prescription.

The requirements detailed in Section 8 assume skilled work under normal conditions and usage of the product for appropriate aims. If conditions differ from normal or work is carried out under extreme conditions an expert's advice should be sought out before deciding upon further protective measures.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES9.1. Information on basic physical and chemical properties:

Parameter	Test method:	Remarks:
1. Appearance:		translucent white liquid
2. Odour:		slight alcohol
3. Odour threshold:		no data available
4. pH value:		8.0-9.0

5. Melting point/ freezing point:	not applicable	
6. Initial boiling point and boiling range:	not applicable	
7. Flash point:	41.11 °C	Closed Cup
8. Evaporation rate:	no applicable information was found	
9. Flammability (solid, gas):	not applicable	
10. Upper/lower flammability or explosive limits:	no applicable information was found	
11. Vapour pressure:	<31 mmhg	
12 Vapour density:	(air = 1) >1	
13. Relative density:	0.9757	
14. Solubility(ies):	solubility in water is complete	
15. Partition coefficient: n-octanol/water:	not measured	
16. Auto-ignition temperature:	no applicable information was found	
17. Decomposition temperature:	no applicable information was found	
18. Viscosity:	no applicable information was found	
19. Explosive properties:	no data available	
20. Oxidizing properties:	no data available	
9.2. <u>Other information:</u>		
Percent Volatile (by volume): 98.2012 %		
Percent Volatile (by weight): 98.2034 %		

SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity:
Hazardous Polymerization will not occur.
- 10.2. Chemical stability:
Stable under normal circumstances.
- 10.3. Possibility of hazardous reactions:
No data available.
- 10.4. Conditions to avoid:
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharge.
- 10.5. Incompatible materials:
This material is incompatible with strong oxidizing agents, strong mineral acids, alkali metals and halogens.
- 10.6. Hazardous decomposition products:
Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 11: TOXICOLOGICAL INFORMATION

- 11.1. Information on toxicological effects:
Acute toxicity: based on the information available, the criteria for classification is not fulfilled.
Skin corrosion/irritation: based on the information available, the criteria for classification is not fulfilled.
Serious eye damage/eye irritation: Causes serious eye irritation.
Respiratory or skin sensitisation: based on the information available, the criteria for classification is not fulfilled.
Germ cell mutagenicity: based on the information available, the criteria for classification is not fulfilled.
Carcinogenicity: based on the information available, the criteria for classification is not fulfilled.
Reproductive toxicity: based on the information available, the criteria for classification is not fulfilled.
STOT-single exposure: May cause drowsiness or dizziness.
STOT-repeated exposure: based on the information available, the criteria for classification is not fulfilled.
Aspiration hazard: based on the information available, the criteria for classification is not fulfilled.
- 11.1.1. For substances subject to registration, brief summaries of the information derived from the test conducted:
No data available.
- 11.1.2. Relevant toxicological properties of the hazardous substances:
Acute toxicity
Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.
Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Isopropyl Alcohol (CAS: 67-63-0)	4,710, Rat - Category: 5	12,800, Rat - Category: NA	72.6, Rat - Category: NA	No data available	No data available
Ethylene glycol monobutyl ether (CAS: 111-76-2)	1,200, Guinea Pig - Category: 4	1,200, Guinea Pig - Category: 4	173.00, Guinea Pig - Category: NA	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Carcinogen Data

CAS No.	Ingredient	Source	Value
0000067-63-0	Isopropyl Alcohol	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No
0000111-76-2	Ethylene glycol monobutyl ether	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No

- 11.1.3. Information on likely routes of exposure:
Ingestion, inhalation, skin contact, eye contact.
- 11.1.4. Symptoms related to the physical, chemical and toxicological characteristics:
No data available.
- 11.1.5. Delayed and immediate effects as well as chronic effects from short and long-term exposure:
Causes serious eye irritation.
May cause drowsiness or dizziness.
- 11.1.6. Interactive effects:
No data available.
- 11.1.7. Absence of specific data:
No information.
- 11.1.8. Other information:
No data available.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity:

No data available about the product.
Information about the components:

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Isopropyl Alcohol (CAS: 67-63-0)	1,400, Lepomis macrochirus	100, Daphnia magna	100 (72 hr), Scenedesmus subspicatus
Ethylene glycol monobutyl ether (CAS: 111-76-2)	1,464, Oncorhynchus mykiss	1,000, Daphnia magna	Not Available

- 12.2. Persistence and degradability:
There is no data available on the preparation itself.
- 12.3. Bioaccumulation potential:
Not Measured.
- 12.4. Mobility in soil:
No data available.
- 12.5. Results of PBT and vPvB assessment:
This product contains no PBT/vPvB chemicals.
- 12.6. Other adverse effects:

It can be harmful to aquatic organisms.

SECTION 13: DISPOSAL CONSIDERATIONS

- 13.1. Waste treatment methods:
Disposal according to the local regulations.
- 13.1.1. Information regarding the disposal of the product:
Observe all federal, state and local regulations when disposing of this substance.
European Waste Code:
For this product no waste disposal key according the European Waste Catalogue (EWC) can be determined, as only the purpose of application defined by the user enables an allocation. The European waste code number has to be determined after a discussion with a specialist dealing with waste disposal.
- 13.1.2. Information regarding the disposal of the packaging:
Dispose according to the relevant regulations.
- 13.1.3. Physical/chemical properties that may affect waste treatment options shall be specified:
None known.
- 13.1.4. Sewage disposal:
None known.
- 13.1.5. Special precautions for any recommended waste treatment:
No data available.

SECTION 14: TRANSPORT INFORMATION

- 14.1. UN Number:
1993
- 14.2. UN proper shipping name:
Flammable liquids, n.o.s. (contains Isopropyl Alcohol), LTD QTY
- 14.3. Transport hazard class(es):
IMDG: 3
Sub Class: Not Applicable
Air Class: 3
- 14.4. Packaging group:
III.
- 14.5. Environmental hazards:
Marine Pollutant: no.
- 14.6. Special precautions for user:
No relevant information available.
- 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code:
Not applicable.

SECTION 15: REGULATORY INFORMATION

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:
REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- 15.2. Chemical safety assessment: no information available.

SECTION 16: OTHER INFORMATION

Information regarding the revision of the safety data sheet:
The safety data sheet has been revised according to Regulation (EU) 2015/830 (Section 1-16).
The classification of the mixture have been amended according to Regulation 1272/2008/EC (CLP) and its amendments.
Full text of the abbreviations in the safety data sheet:
DNEL: Derived no effect level. PNEC: Predicted no effect concentration. CMR effects: carcinogenicity, mutagenicity and toxicity for reproduction. PBT: Persistent, bioaccumulative and toxic. vPvB: Very Persistent, Very Bioaccumulative. n.d.: not defined. n.a.: not applicable.

Data sources: safety data sheet (dated 25/02/2016) issued by the manufacturer.

Methods used for the classification according to Regulation 1272/2008/EC:

Flammable Liquids 3 – H226	Based on test methods (test data)
Eye irritation 2 – H319	Based on calculation method
Specific target organ toxicity (STOT) – single exposure 3 – H336	Based on calculation method

Relevant H-Phrases (number and full text) of Section 2 and 3:

- H225** – Highly flammable liquid and vapour.
- H226** – Flammable liquid and vapour.
- H302** – Harmful if swallowed.
- H312** – Harmful in contact with skin.
- H315** – Causes skin irritation.
- H319** – Causes serious eye irritation.
- H332** – Harmful if inhaled.
- H336** – May cause drowsiness or dizziness.

Training advice: no data available.

This safety data sheet had been prepared on the basis of information provided by the manufacturer/supplier and conform to the relevant regulations.

The information, data and recommendations contained herein are provided in good faith, obtained from reliable sources and believed to be true and accurate as of the date issued; however, no representation is made as to the comprehensiveness of the information. The SDS shall be used only as a guide for handling the product; in the course of handling and using the product other considerations may arise or be required.

Users are cautioned to determine the appropriateness and applicability of the above information to their particular circumstances and purposes and assume all risk associated with the use of this product. It is the responsibility of the user to fully comply with local, national and international regulations concerning the use of this product.

Safety data sheet was prepared by: ToxInfo Kft.

Professional help regarding the explanation of the safety data sheet:
+36 70 335 8480; info@msds-europe.com