1 GALLON (56-B60815-128) 8 OZ (56-B60715-008) 32 OZ (56-B60815-032)

SDS Revision Date: 02/16/2017



## 1. Identification

1.1. Product identifier

Product Identity BIG B BOWLING BALL CLEANER (1 GALLON)

Alternate Names

BIG B BOWLING BALL CLEANER (32 OZ)

BIG B BOWLING BALL CLEANER (8 OZ)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use All Purpose Cleaner

**Application Method** See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Brunswick Bowling Products, LLC

525 W. Laketon Ave.

Muskegon, MI 49441 USA

**Emergency** 

24 hour Emergency Telephone No. (CHEMTEL) US: 1-800-255-3924

International: +01-813-248-0585

Customer Service: Brunswick Bowling Products, LLC 231-725-4966

## 2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture

Skin Irrit. 3;H316 Causes mild skin irritation. (Not adopted by US OSHA)

Eye Irrit. 2;H319 Causes serious eye irritation.

#### 2.2. Label elements

1 GALLON (56-B60815-128) 8 OZ (56-B60715-008) 32 OZ (56-B60815-032)

SDS Revision Date: 02/16/2017





H316 Causes mild skin irritation.

H319 Causes serious eye irritation.

#### [Prevention]:

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

#### [Response]:

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P332+313 If skin irritation occurs: Get medical advice / attention.

P337+313 If eye irritation persists: Get medical advice / attention.

#### [Storage]:

No GHS storage statements

#### [Disposal]:

No GHS disposal statements

## 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Tripropylene glycol monomethyl ether CAS Number: 0025498-49-1	1 - 5	Not Classified	[1]
(2-methoxymethylethoxy)propanol CAS Number: 0034590-94-8	1 - 5	Not Classified	[1][2]
Alcohols, C12-14, ethoxylated CAS Number: 0068439-50-9	1 - 5	Eye Dam. 1;H318 Aquatic Acute 1;H400	[1]
Benzenesulfonic acid, C10-16-alkyl derivs. CAS Number: 0068584-22-5	1 - 5	Acute Tox. 4;H302 Acute Tox. 4;H312	[1]

1 GALLON (56-B60815-128) 8 OZ (56-B60715-008) 32 OZ (56-B60815-032)

SDS Revision Date: 02/16/2017



		Skin Corr. 1C;H314 Eye Dam. 1;H318	
Sodium phosphate, tribasic CAS Number: 0010101-89-0	1 - 5	Skin Irrit. 2;H315 Eye Irrit. 2;H319 STOT SE 3;H335	[1]
Triphosphoric acid, pentasodium salt, hexahydrate CAS Number: 0015091-98-2	1 - 5	Skin Irrit. 2;H315 Eye Irrit. 2;H319 STOT SE 3;H335	[1]
2-(Benzylideneamino)ethanol CAS Number: 0000770-37-6	1 - 5	Acute Tox. 4;H302 Acute Tox. 4;H312 Acute Tox. 4;H332	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. First aid measures

### 4.1. Description of first aid measures

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious, place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

**Ingestion** If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Overview** No specific symptom data available.

See section 2 for further details.

**Eyes** Causes serious eye irritation.

**Skin** Causes mild skin irritation. (Not adopted by US OSHA)

<sup>[1]</sup> Substance classified with a health or environmental hazard.

<sup>[2]</sup> Substance with a workplace exposure limit.

<sup>[3]</sup> PBT-substance or vPvB-substance.

<sup>\*</sup>The full texts of the phrases are shown in Section 16.

1 GALLON (56-B60815-128) 8 OZ (56-B60715-008) 32 OZ (56-B60815-032)

SDS Revision Date: 02/16/2017



## 5. Fire-fighting measures

#### 5.1. Extinguishing media

Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Oxides of carbon, nitrogen, sulfur.

#### 5.3. Advice for fire-fighters

Fight fire with normal precautions from a reasonable distance.

As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

ERG Guide No. ----

#### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

SMALL SPILL: Pick up wash liquid with additional absorbent and place in a disposable container.

LARGE SPILL: Dike area in front of spill and contain for appropriate disposal.

ENVIRONMENTAL PRECAUTIONS WATER SPILL: Not Established

LAND SPILL: Avoid runoff into storm sewers and ditches which lead to waterways.

AIR SPILL: None Expected.

## 7. Handling and storage

#### 7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

1 GALLON (56-B60815-128) 8 OZ (56-B60715-008) 32 OZ (56-B60815-032)

SDS Revision Date: 02/16/2017



Use of eye protection and safety gloves can mitigate potential for irritation.

See section 2 for further details. - [Prevention]:

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in a dry place. Store in a closed container.

Incompatible materials: Oxidizing agents, reducing agents, strong acids or alkali.

See section 2 for further details. - [Storage]:

#### 7.3. Specific end use(s)

No data available.

# 8. Exposure controls and personal protection

### 8.1. Control parameters

#### **Exposure**

CAS No.	Ingredient	Source	Value
0000770-37-6	2-(Benzylideneamino)ethanol	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0010101-89-0	Sodium phosphate, tribasic	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
	Triphosphoric acid, pentasodium salt,	OSHA	No Established Limit
	hexahydrate	ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0025498-49-1	Tripropylene glycol monomethyl ether	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0034590-94-8	(2-methoxymethylethoxy)propanol	OSHA	TWA(US) 100 ppm (600 mg/m3) [skin]
		ACGIH	TWA: 100 ppm STEL: 150 ppm Skin
		NIOSH	TWA 100 ppm (600 mg/m3) ST 150 ppm (900 mg/m3) [skin]
		Supplier	No Established Limit

1 GALLON (56-B60815-128) 8 OZ (56-B60715-008) 32 OZ (56-B60815-032)

SDS Revision Date: 02/16/2017



0068439-50-9	068439-50-9 Alcohols, C12-14, ethoxylated		No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0068584-22-5	0068584-22-5 Benzenesulfonic acid, C10-16-alkyl derivs.		No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

#### 8.2. Exposure controls

**Respiratory** If workers are exposed to concentrations above the exposure limit they must use the

appropriate, certified respirators.

Eyes Eye protection can mitigate potential irritation from mist / spray.

Skin Individuals with sensitive skin should wear gloves when handling.

**Engineering Controls** Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

## 9. Physical and chemical properties

Appearance Clear Green Liquid

**Odor** Mild

Odor threshold

pH

~ 10 to 11

Melting point / freezing point

Initial boiling point and boiling range

Not Measured

Flash Point Flash Point for Tripropylene Glycol Methyl Ether 250 ° C.

Flash Point for Mixture: None to boiling

Evaporation rate (Ether = 1) Not Measured
Flammability (solid, gas) Not Applicable

1 GALLON (56-B60815-128) 8 OZ (56-B60715-008) 32 OZ (56-B60815-032)

SDS Revision Date: 02/16/2017



Upper/lower flammability or explosive limits

Lower Explosive Limit: Not Measured

Upper Explosive Limit: Not Measured

Vapor pressure (Pa)Not MeasuredVapor DensityNot MeasuredSpecific Gravity~ 1.01 to 1.05Solubility in WaterSoluble

Partition coefficient n-octanol/water (Log Kow)

Auto-ignition temperature

Decomposition temperature

Viscosity (cSt) VOC Content

Percent Volatile (by volume)

9.2. Other information

No other relevant information.

Not Measured
~ 1.01 to 1.05
Soluble
Not Measured
Not yet Determined

Not Applicable ~ 10.000 to 20.000 grams / litre

90 %

Not Applicable

# 10. Stability and reactivity

#### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

No data available.

#### 10.5. Incompatible materials

Oxidizing agents, reducing agents, strong acids or alkali.

#### 10.6. Hazardous decomposition products

Oxides of carbon, nitrogen, sulfur.

## 11. Toxicological information

1 GALLON (56-B60815-128) 8 OZ (56-B60715-008) 32 OZ (56-B60815-032)

SDS Revision Date: 02/16/2017



### **Acute toxicity**

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Tripropylene glycol monomethyl ether - (25498-49-1)	No data available	No data available	No data available	No data available	No data available
(2-methoxymethylethoxy)propanol - (34590-94-8)	3,500.00, Rat - Category: 5	19,000.00, Rabbit - Category: NA	No data available	No data available	No data available
Alcohols, C12-14, ethoxylated - (68439-50-9)	>2,000.00, Rat - Category: 5	> 3,000, Rabbit - Category: 5	No data available	No data available	No data available
Benzenesulfonic acid, C10-16-alkyl derivs (68584-22-5)	> 5,000.00, Rat - Category: NA	>2,000.00, Rabbit - Category: 5	No data available	No data available	No data available
Sodium phosphate, tribasic - (10101-89-0)	7,400.00, Rat - Category: NA	No data available	No data available	No data available	No data available
Triphosphoric acid, pentasodium salt, hexahydrate - (15091-98-2)	No data available	No data available	No data available	No data available	No data available
2-(Benzylideneamino)ethanol - (770-37-6)	No data available	No data available	No data available	No data available	No data available

### Carcinogen Data

CAS No.	Ingredient	Source	Value		
0000770-37-6	2-(Benzylideneamino)ethanol	OSHA	Select Carcinogen: No		
		NTP	Known: No; Suspected: No		
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
0010101-89-0	Sodium phosphate, tribasic	OSHA	Select Carcinogen: No		
		NTP	Known: No; Suspected: No		
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
0015091-98-2 Triphosphoric acid, pentasodium salt, hexahydrate		OSHA	Select Carcinogen: No		
		NTP	Known: No; Suspected: No		
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
0025498-49-1 Tripropylene glycol monomethyl ether		OSHA	Select Carcinogen: No		
		NTP	Known: No; Suspected: No		

1 GALLON (56-B60815-128) 8 OZ (56-B60715-008) 32 OZ (56-B60815-032)

SDS Revision Date: 02/16/2017



		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0034590-94-8 (2-methoxymethylethoxy)propanol			Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0068439-50-9	50-9 Alcohols, C12-14, ethoxylated		Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0068584-22-5	Benzenesulfonic acid, C10-16-alkyl	OSHA	Select Carcinogen: No
	derivs.	NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation	3	Causes mild skin irritation. (Not adopted by US OSHA)
Serious eye damage/irritation	2	Causes serious eye irritation.
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

# 12. Ecological information

## 12.1. Toxicity

1 GALLON (56-B60815-128) 8 OZ (56-B60715-008) 32 OZ (56-B60815-032)

**SDS Revision Date:** 02/16/2017



#### Toxic to aquatic life

#### **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Tripropylene glycol monomethyl ether - (25498-49-1)	Not Available	Not Available	Not Available
(2-methoxymethylethoxy)propanol - (34590-94-8)	10,000.00, Pimephales promelas	1,919.00, Daphnia magna	969.00 (72 hr), Algae
Alcohols, C12-14, ethoxylated - (68439-50-9)	1.10, Oncorhynchus mykiss	2.49, Daphnia magna	0.41 (72 hr), Pseudokirchneriella subcapitata
Benzenesulfonic acid, C10-16-alkyl derivs (68584-22-5)	> 10,000, Cyprinodon variegatus	> 1,000, Daphnia magna	1,001.00 (72 hr), Pseudokirchneriella subcapitata
Sodium phosphate, tribasic - (10101-89-0)	Not Available	Not Available	Not Available
Triphosphoric acid, pentasodium salt, hexahydrate - (15091-98-2)	Not Available	Not Available	Not Available
2-(Benzylideneamino)ethanol - (770-37-6)	Not Available	Not Available	Not Available

### 12.2. Persistence and degradability

There is no data available on the preparation itself.

### 12.3. Bioaccumulative potential

Not Measured

## 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This product contains PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No data available.

## 13. Disposal considerations

#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

## 14. Transport information

1 GALLON (56-B60815-128) 8 OZ (56-B60715-008) 32 OZ (56-B60815-032)

SDS Revision Date: 02/16/2017

ICAO/IATA



DOT (Domestic Surface IMO / IMDG (Ocean

Transportation) Transportation)

**14.1. UN number** Not Regi;ated Not Regulated Not Regulated Not Regulated Not Regulated Not Regulated

**14.2. UN proper shipping** Not Regulated Not Regulated Not Regulated name

**14.3. Transport hazard DOT Hazard Class:** Not **IMDG:** Not Applicable **Air Class:** Not Applicable

class(es) Applicable Sub Class: Not Applicable

**14.4. Packing group** Not Applicable Not Applicable Not Applicable

14.5. Environmental hazards

**IMDG** Marine Pollutant: No;

14.6. Special precautions for user

No further information

## 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

**Toxic Substance** All components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA) Inventory.

WHMIS Classification D2B

US EPA Tier II Hazards Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes Delayed (Chronic): No

#### **EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **EPCRA 313 Toxic Chemicals:**

(2-methoxymethylethoxy)propanol

## Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Developmental Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

1 GALLON (56-B60815-128) 8 OZ (56-B60715-008) 32 OZ (56-B60815-032)

SDS Revision Date:

02/16/2017



#### Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Male Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **New Jersey RTK Substances (>1%):**

(2-methoxymethylethoxy)propanol

#### Pennsylvania RTK Substances (>1%):

(2-methoxymethylethoxy)propanol Sodium phosphate, tribasic

### 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material in any process, unless specified in the text.

**End of Document** 

1 GALLON (56-B60815-128) 8 OZ (56-B60715-008) 32 OZ (56-B60815-032)

SDS Revision Date: 02/16/2017

