

# Safety Data Sheet Brunswick Liquid Friction Pin Deck Treatment

SDS Revision Date: 01/12/2022

# 1. Identification

1.1. Product identifier

Product Identity Brunswick Liquid Friction Pin Deck Treatment

Alternate Names 62860138000 (2x1 GAL)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Brunswick Bowling Products, LLC.

525 W. Laketon Ave.

Muskegon, MI 49441 USA

**Emergency** 

24 hour Emergency Telephone No. CHEMTEL +1 813-248-0585

Customer Service: Brunswick Bowling Products, LLC. 231-725-4966

# 2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture

Carc. 2;H351 Suspected of causing cancer.

## 2.2. Label elements



H351 Suspected of causing cancer.

#### [Prevention]:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P281 Use personal protective equipment as required.

#### [Response]:

P308+313 IF exposed or concerned: Get medical advice or attention.

#### [Storage]:

P405 Store locked up.

#### [Disposal]:

P501 Dispose of contents or container in accordance with local and national regulations.

# 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Acetic acid ethenyl ester CAS Number: 0000108-05-4		Flam. Liq. 2;H225 Carc. 2;H351 Acute Tox. 4;H332 STOT SE 3;H335	

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

## Section 4. First aid measures

#### 4.1. Description of first aid measures

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious, place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

**Ingestion** If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

## 4.2. Most important symptoms and effects, both acute and delayed

**Overview** No specific symptom data available.

Possible cancer hazard. Contains an ingredient which may cause cancer based on animal

data (See Section 3 and Section 15 for each ingredient). Risk of cancer depends on

duration and level of exposure.

Treat symptomatically. Check section 2.2 (GHS Label Elements) for further details.

# Section 5. Fire-fighting measures

#### 5.1. Extinguishing media

<sup>\*</sup>PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

#### 5.3. Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No. ----

## Section 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8. Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

# Section 7. Handling and storage

#### 7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]:

#### 7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: No available information

Check section 2.2 (GHS Label Elements) for further details. - [Storage]:

# 7.3. Specific end use(s)

No available information

# Section 8. Exposure controls / personal protection

## 8.1. Control parameters

#### **Exposure**

CAS No.	Ingredient	Source	Value
0000108-05-4	Acetic acid ethenyl ester	OSHA	No Established Limit
		ACGIH	TWA: 10 ppm STEL: 15 ppm
		NIOSH	C 4 ppm (15 mg/m3) [15-minute]

Supplier No Established Limit

## 8.2. Exposure controls

**Respiratory** If workers are exposed to concentrations above the exposure limit they must use the

appropriate, certified respirators.

**Eyes** Protective safety glasses recommended

**Skin** Avoid skin contact. Protective gloves recommended.

**Engineering Controls** Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]:

# Section 9. Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

AppearanceOpaque Liquid

**Odor** Solvent

Odor threshold No available information

pH Not Measured

Melting point / freezing point Not Measured
Initial boiling point and boiling range Not Measured
Flash Point Not Measured
Evaporation rate (Ether = 1) Not Measured

Flammability (solid, gas) No available information

Upper/lower flammability or explosive limits Lower Explosive Limit: 0.6%

**Upper Explosive Limit: 22.7%** 

Vapor pressure (Pa)Not MeasuredVapor DensityNot MeasuredRelative Density0.984 (H2O = 1)

Solubility in Water Soluble

Partition coefficient n-octanol/water (Log Kow)

No available information

Auto-ignition temperatureNot MeasuredDecomposition temperatureNot MeasuredViscosity (cSt)Not Measured

9.2. Other information

No other relevant information.

# Section 10. Stability and reactivity

Hazardous Polymerization will not occur.

## 10.2. Chemical stability

Stable under normal circumstances.

## 10.3. Possibility of hazardous reactions

No available information

#### 10.4. Conditions to avoid

Avoid high temperatures and contact with incompatible material

## 10.5. Incompatible materials

No available information

## 10.6. Hazardous decomposition products

No hazardous decomposition data available.

# **Section 11. Toxicological information**

# **Acute toxicity**

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Acetic acid ethenyl ester - (108-05-4)	2,900.00, Rat -	2,335.00, Rabbit	11.40, Rat -	No data	3,200.00, Rat -
	Category: 5	- Category: 5	Category: 4	available	Category: 4

## **Carcinogen Data**

CAS No.	Ingredient	Source	Value
0000108-05-4	Acetic acid ethenyl ester	OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: Yes; Group 3: No; Group 4: No;
		ACGIH	A3

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation		Not Applicable
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity	2	Suspected of causing cancer.
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable

Aspiration hazard	 Not Applicable

# **Section 12. Ecological information**

## 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

# **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,
	mg/l	mg/l	mg/l
Acetic acid ethenyl ester - (108-05-4)	14.00, Pimephales promelas	52.00, Daphnia magna	Not available

#### 12.2. Persistence and degradability

There is no data available on the preparation itself.

## 12.3. Bioaccumulative potential

No available information

#### 12.4. Mobility in soil

No available information

#### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No available information

# Section 13. Disposal considerations

#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

# **Section 14. Transport information**

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Regulated	Not Regulated	Not Regulated
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable Sub Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable Sub Class: Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable

14.5. Environmental hazards

IMDG Marine Pollutant: No;

14.6. Special precautions for user

No available information

# Section 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance Control Act (TSCA)

All components of this material are either listed or exempt from listing on the TSCA

Inventory.

US EPA Tier II Hazards Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): No Delayed (Chronic): Yes

#### **EPCRA 302 Extremely Hazardous:**

Acetic acid ethenyl ester

#### **EPCRA 313 Toxic Chemicals:**

Acetic acid ethenyl ester

#### Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Developmental Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 Label Warning:**

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

# Section 16. Other information

#### SDS Revision Date 01/12/2022

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of publication. The information given is designed only as a guide for safe handling, use, processing, storage,

transportation, disposal, and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material in any process, unless specified in the text.

**End of Document**