SDS Revision Date: 07/28/2015



1. Identification

1.1. Product identifier

Product Identity 11-676693-000 Loctite-Threadlocker #262 Red 10ml

Alternate Names 262 Threadlocker Permanent Str

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Anaerobic sealant

Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Brunswick Bowling Products, LLC

525 W. Laketon Ave. Muskegon, MI 49441 USA

Emergency

24 hour Emergency Telephone No. (CHEMTEL) International: +01-813-248-0585

US: 1-800-255-3924

Customer Service: Brunswick Bowling Products, LLC 231-725-4966

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Acute Tox. 4;H332 Harmful if inhaled.
Skin Irrit. 2;H315 Causes skin irritation.

Eye Dam. 1;H318 Causes serious eye damage.

Skin Sens. 1;H317 May cause an allergic skin reaction.

STOT SE 3;H335 May cause respiratory irritation.

STOT RE 2:H373 May cause damage to organs through prolonged or repeated exposure. Specific Target

Organs: (Not Available)

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



SDS Revision Date:

07/28/2015



Danger

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

[Prevention]:

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P304+312 IF INHALED: Call a POISON CENTER or doctor / physician if you feel unwell.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P310 Immediately call a POISON CENTER or doctor / physician.

P313 Get medical advice / attention.

P314 Get Medical advice / attention if you feel unwell.

P321 Specific treatment (see information on this label).

P333+313 If skin irritation or a rash occurs: Get medical advice / attention.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P362 Take off contaminated clothing and wash before reuse.

P363 Wash contaminated clothing before reuse.

[Storage]:

P403+233 Store in a well ventilated place. Keep container tightly closed.

P405 Store locked up.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

SDS Revision Date: 07/28/2015



3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Polyglycol dimethacrylate CAS Number: Proprietary	75 - 100	Skin Sens. 1;H317 Skin Irrit. 2;H315 Eye Irrit. 2;H319 STOT SE 3;H335	[1]
Cumene hydroperoxide CAS Number: 0000080-15-9	1.0 - 10	Org. Perox. E;H242 Acute Tox. 3;H331 Acute Tox. 4;H312 Acute Tox. 4;H302 STOT RE 2;H373 Skin Corr. 1B;H314 Aquatic Chronic 2;H411	[1]
Benzisothiazol-3(2H)-one, 1,1-dioxide CAS Number: 0000081-07-2	1.0 - 10	Not Classified	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview Inhalation: Inhalation of vapors or mists of the product may be irritating to the respiratory

system.

Skin contact: Causes skin irritation. May cause allergic skin reaction.

Eye contact: Causes eye irritation.

^[1] Substance classified with a health or environmental hazard.

^[2] Substance with a workplace exposure limit.

^[3] PBT-substance or vPvB-substance.

^{*}The full texts of the phrases are shown in Section 16.

SDS Revision Date:

07/28/2015



Ingestion: May cause gastrointestinal tract irritation if swallowed. See section 2 for further

details.

Inhalation Harmful if inhaled. May cause respiratory irritation.

Eyes Causes serious eye damage.

Skin May cause an allergic skin reaction. Causes skin irritation.

5. Fire-fighting measures

5.1. Extinguishing media

Water spray (fog), foam, dry chemical or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Uncontrolled polymerization may occur at high temperatures resulting in explosions or rupture of storage containers. Hazardous decomposition: Oxides of carbon. Oxides of sulfur. Oxides of nitrogen. Phenolics. Irritating organic vapors. Avoid breathing dust / fume / gas / mist / vapors / spray.

5.3. Advice for fire-fighters

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. In case of fire, keep containers cool with water spray.

ERG Guide No. ----

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Uncontrolled polymerization may occur at high temperatures resulting in explosions or rupture of storage containers.

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Uncontrolled polymerization may occur at high temperatures resulting in explosions or rupture of storage containers. Remove all sources of ignition. Evacuate and ventilate spill area; dike spill to prevent entry into water system; wear full protective equipment during clean-up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder,

universal binder, sawdust). Scrape up as much material as possible. Store in a partly filled, closed container until disposal. Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up.

SDS Revision Date:

07/28/2015



7. Handling and storage

7.1. Precautions for safe handling

Use only with adequate ventilation. Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. Keep container closed. Refer to Section 8. See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

For safe storage, store between 0 °C (32°F) and 32 °C (89.6 °F) Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.

Incompatible materials: Iron. Copper. Rust. Aluminum. Zinc. Reducing agents. Strong acids and oxidizing agents. Oxygen scavengers. Strong alkalis.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0000080-15-9 Cumene hydroperoxide	Cumene hydroperoxide	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0000081-07-2 Benzisothiazol-3(2H)-one, 1,1-dioxide	OSHA	No Established Limit	
	ACGIH	No Established Limit	
	NIOSH	No Established Limit	
	Supplier	No Established Limit	
Proprietary Polyglycol dimethacrylate	OSHA	No Established Limit	
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

SDS Revision Date: 07/28/2015



Carcinogen Data

CAS No.	Ingredient	Source	Value			
0000080-15-9	Cumene hydroperoxide	OSHA	Select Carcinogen: No			
		NTP	Known: No; Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
0000081-07-2	Benzisothiazol-3(2H)-one, 1,1-	OSHA	Select Carcinogen: No			
	dioxide	NTP	Known: No; Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;			
Proprietary	Polyglycol dimethacrylate	OSHA	Select Carcinogen: No			
		NTP	Known: No; Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			

8.2. Exposure controls

Respiratory Use NIOSH approved respirator if there is potential to exceed exposure limit(s).

Eyes Safety goggles or safety glasses with side shields. Full face protection should be used if

the potential for splashing or spraying of product exists. Safety showers and eye wash

stations should be available.

Skin Use chemical resistant, impermeable clothing including gloves

Engineering Controls Provide adequate local exhaust ventilation to maintain worker exposure below exposure

imits

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance Red Liquid

Odor Mild

Odor threshold Not determined

PH Not Measured

Melting point / freezing point Not Measured

Initial boiling point and boiling range >149C(>300.2F)

Flash Point >93.3C

Evaporation rate (Ether = 1) Not Measured
Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Measured

Upper Explosive Limit: Not Measured

SDS Revision Date:

07/28/2015



Vapor pressure (Pa)< 5 mm Hg (27C)</th>Vapor DensityNot Measured

Specific Gravity1.05Solubility in WaterSlight

Partition coefficient n-octanol/water (Log Kow)

Auto-ignition temperature

Decomposition temperature

Viscosity (cSt)

Not Measured

Not Measured

Not Measured

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

None under normal processing. Polymerization may occur at elevated temperature or in the presence of incompatible materials.

10.4. Conditions to avoid

Elevated temperatures. Heat, flames, sparks and other sources of ignition. Store away from incompatible materials.

10.5. Incompatible materials

Iron. Copper. Rust. Aluminum. Zinc. Reducing agents. Strong acids and oxidizing agents. Oxygen scavengers. Strong alkalis.

10.6. Hazardous decomposition products

Oxides of carbon. Oxides of sulfur. Oxides of nitrogen. Phenolics. Irritating organic vapors.

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Polyglycol dimethacrylate - (Proprietary)	No data available	No data available	No data available	No data available	No data available

SDS Revision Date:

07/28/2015



Cumene hydroperoxide - (80-15-9)	382.00, Rat -	500.00, Rabbit -	No data	No data	220.00, Rat -
	Category: 4	Category: 3	available	available	Category: 2
Benzisothiazol-3(2H)-one, 1,1-dioxide - (81-07-2)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description		
Acute toxicity (oral)		Not Applicable		
Acute toxicity (dermal)		Not Applicable		
Acute toxicity (inhalation)	4	Harmful if inhaled.		
Skin corrosion/irritation	2	Causes skin irritation.		
Serious eye damage/irritation	1	Causes serious eye damage.		
Respiratory sensitization		Not Applicable		
Skin sensitization	1	May cause an allergic skin reaction.		
Germ cell mutagenicity		Not Applicable		
Carcinogenicity		Not Applicable		
Reproductive toxicity		Not Applicable		
STOT-single exposure	3	May cause respiratory irritation.		
STOT-repeated exposure	2	May cause damage to organs through prolonged or repeated exposure.		
Aspiration hazard		Not Applicable		

12. Ecological information

12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and GHS and is not classified as dangerous for the environment, but contains substance(s) dangerous for the environment. See section 3 for details

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Polyglycol dimethacrylate - (Proprietary)	Not Available	Not Available	Not Available
Cumene hydroperoxide - (80-15-9)	3.90, Oncorhynchus mykiss	7.00, Daphnia magna	Not Available

SDS Revision Date:

07/28/2015



Benzisothiazol-3(2H)-one, 1,1-dioxide - (81-07-2)

Not Available

Not Available

Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

DOT (Domestic Surface Transportation)

14.1. UN number Not Regulated14.2. UN proper shipping Not Regulated

name

14.3. Transport hazard DOT Hazard Class: Not

class(es) Applicable

14.4. Packing group Not Applicable

14.5. Environmental hazards

IMDG Marine Pollutant: No

14.6. Special precautions for user

No further information

IMO / IMDG (Ocean ICAO/IATA Transportation)

Not Regulated Not Regulated
Not Regulated

IMDG: Not Applicable Air Class: Not Applicable

Sub Class: Not Applicable

Not Applicable

Not Applicable

SDS Revision Date: 07/28/2015



15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance All components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA) Inventory.

WHMIS Classification B3 D2B E

US EPA Tier II Hazards Fire: No

Sudden Release of Pressure: No

Reactive: No Immediate (Acute): Yes

Delayed (Chronic): Yes

EPCRA 311/312 Chemicals and RQs (lbs):

Benzisothiazol-3(2H)-one, 1,1-dioxide (100.00)

Cumene hydroperoxide (10.00)

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Benzisothiazol-3(2H)-one, 1,1-dioxide

Cumene hydroperoxide

Proposition 65 - Carcinogens (>0.0%):

Cumene

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

Benzisothiazol-3(2H)-one, 1,1-dioxide

Cumene hydroperoxide

Pennsylvania RTK Substances (>1%):

Benzisothiazol-3(2H)-one, 1,1-dioxide

Cumene hydroperoxide

SDS Revision Date:

07/28/2015



16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H242 Heating may cause a fire.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material in any process, unless specified in the text.

End of Document