

# Information Sheet


## Mike Aulby MVP™

### Part Number

60-102857

### Specifications

PowrKoil18™ Reactive Coverstock  
Polished finish  
Hook Potential: 18.5 - 10.5 (dull/shiny)  
Typical Length: 4  
Typical Backend: 11  
RG Max: 2.609  
RG Min: 2.563  
Average RG: 5.3  
RG Differential: 0.046



### Reaction Characteristics

Brunswick is proud to introduce to you the new Brunswick MVP™ Series of bowling balls. The MVP Series features the names of top PBA tour champions, like Johnny Petraglia, Walter Ray Williams, JR.,

Mike Aulby and Parker Bohn III. Each ball has been individually designed by the most exacting science in bowling to fit each bowler's particular style. Each player has taken an element of Brunswick technology, blended it with his years of pro tour experience, and created a ball that meets his own demanding standards.

The first ball in this series is the Mike Aulby MVP. The Mike Aulby features Brunswick's exclusive PowrKoil18™ reactive urethane coverstock developed by Bayer Corp. combined with a 3-piece compound core for increased length. This combination creates a more skid/snap and high RG mass distribution that is clean through the front part of the lane. With peak hook potential and backend reaction.

### Drilling Information


All weights of the Mike Aulby MVP ball can be drilled using techniques developed for two-piece balls. See Brunswick's "Seven Popular Layouts" for detailed drilling instructions.

**MVP**  
MIKE AULBY


# SEVEN POPULAR LAYOUTS

MAXIMUM  
TRACK FLARE  
HIGH  
REACTIVITY


1-Leverage Pin with 9" hole




2-Leverage Pin-heavy spot toward grip center




3-Leverage Pin with Axis hole




5-Pin between Axis and Leverage




4-Positive label shift



6-Axis Pin with 9" hole



7-Negative label shift



MINIMUM  
TRACK FLARE  
LOW  
REACTIVITY

(P) = Pin

(H) = Heavy Spot

(A) = Axis

(BLH) = Balance hole

