



THE CHEMISTRY'S AMAZING.

©2012 Brunswick Bowling & Billiards Corporation. Item #10-095300-086 • Form #0512-03E



Brunswick 

BowlwithBrunswick.com

C•(SYSTEM)™ MAXXED-OUT

HP[®]
High Performance

CFT MAXXED-OUT SOLID COVERSTOCK

CFT maxxed-out Solid is our latest innovation in Chemical Friction Technology. It maximizes the friction additives to strengthen its grip in the mid-lane and backend for maximum control. The CFT maxxed-out solid coverstock still provides enhanced projection down the lane saving axis rotation for more energy on the backend and through the pins.

CORE

The new Ultra Low Dual Flip I – Block symmetrical core incorporates a top and bottom flip block over a centered mass. The centered mass creates stability while the dual flip blocks keep the core revving to the backend all the way through the pins for improved pin action.

BALL MOTION

With its 4000 grit Siaair Micro Pad finish, the C•(System) maxxed-out skids easily through the front, saving axis rotation for the backend with a strong continuous breakpoint. The C•(System) maxxed-out is best used on fresh and wet/dry lane conditions where control is needed on medium-oily to oily lane patterns.

REACTION SETUP

The C•(System) maxxed-out can be drilled using the standard drilling techniques developed for symmetric bowling balls.

LIGHTWEIGHT ENGINEERING

At Brunswick, the unique core shape of each individual ball is used for weights from 14 to 16 pounds. This approach to lightweight ball engineering provides bowlers with consistent ball reaction characteristics across this weight range. At 12 and 13 pounds, Brunswick uses a generic core shape with a RG differential that is close enough to the 14 to 16 pound shape so the same drilling instructions can be used.



SPECIFICATIONS

Hook Potential	Low(10)	<input type="range" value="170"/>	High(200)
Length	Early(25)	<input type="range" value="110"/>	Long(235)
Breakpoint Shape	Smooth Arc(10)	<input type="range" value="85"/>	Angular(105)
RG Differential	Low(0)	<input type="range" value="0.055"/>	High(.060)
RG Average	Center Heavy(1)	<input type="range" value="3.1"/>	Cover Heavy(10)

- Ultra Low Dual Flip I – Block Symmetric Core
- CFT Maxxed-Out Solid Coverstock
- 2- Color, Cobalt and Teal Solid
- Hardness: 73-75
- 500; 2,000 & 4,000 Siaair Micro Pad Finish
- Chart Position: T-10
- Part No. 60-105469-93X



16 LB 15 LB 14 LB 13 LB 12 LB

RG-MAX	2.523	2.535	2.551	2.614	2.637
RG-MIN	2.468	2.480	2.496	2.574	2.597
RG-DIFF	0.055	0.055	0.055	0.040	0.040

C•(System)
maxxed-out

Brunswick[®]
BowlwithBrunswick.com