

REVOLVER™



CONNEXION™ GRIP COVERSTOCK

The **Revolver** utilizes **ConneXion Grip** an improved version of ConneXion coverstock. **ConneXion Grip** incorporates a new formula to increase the footprint size of the coverstock which improves mid-lane and back-end traction.

JACK™ CORE

The **Jack** core was designed as a low RG symmetric core with a high differential. The low RG engages in the mid-lane assisting in ball motion, and the high differential increases track flare potential giving the ball more opportunity to grip the back-end while using standard layouts and interchangeable thumb sleeves.

BALL MOTION

With its 4,000 Siaair Micro Pad finish, the **Revolver** will provide good length with a strong continuous back-end reaction that matches up on medium to oily lane conditions for a wide range of bowling styles.

REACTION SETUP

The **Revolver** can be drilled using the standard drilling techniques developed for symmetric bowling balls.

LIGHTWEIGHT ENGINEERING

The unique core shape of each Brunswick ball is used for weights from 14 to 16 pounds. This approach to lightweight ball engineering provides bowlers with consistent ball reaction characteristics across this weight range. The same drilling instructions can be used for 12- and 13-pound balls. This is because Brunswick uses a generic core shape with an RG differential that is close enough to the 14-16 pound shape.



SPECIFICATIONS

Hook Potential	Low(10)	<input type="range" value="165"/>	High(175)
Length	Early(25)	<input type="range" value="95"/>	Long(235)
Breakpoint Shape	Smooth Arc(10)	<input type="range" value="75"/>	Angular(100)
RG Differential	Low(0)	<input type="range" value="0.054"/>	High(.060)
RG Average	Center Heavy(1)	<input type="range" value="3.8"/>	Cover Heavy(10)

- Jack Core
- ConneXion Grip Coverstock
- 2-Color, Purple Pearl/White Pearl
- Hardness: 76-78
- 500 Siaair Micro Pad; 4,000-Siaair Micro Pad Finish
- Chart Position: S-13
- Part No. 60-105312-93X



16 LB 15 LB 14 LB 13 LB 12 LB

RG-MAX	2.558	2.574	2.596	2.625	2.648
RG-MIN	2.504	2.520	2.542	2.585	2.608
RG-DIFF	0.054	0.054	0.054	0.040	0.040



MAINTAINING YOUR BALL REACTION

Brunswick recommends the following procedures to maintain and restore the reaction characteristics of your Brunswick bowling balls:

1. Clean your Brunswick ball with **Brunswick Remove All** or similar ball cleaner after every use to reduce oil absorption.
2. If you think your Brunswick ball has lost some of its "out of the box" reaction, restore the ball to its original factory finish listed on the product information sheet. This is especially important for balls that are highly sanded or polished. Sand to 400-grit then use **Factory Finish High Gloss Polish by Brunswick** to restore the original factory finish on high gloss polish balls. Sand to 220-grit then use **Factory Finish Rough Buff by Brunswick** to restore the original factory finish on rough buff balls. For dull balls, wet sand with the Micro Pad grit listed on the product information sheet.
3. If there is a visible track on your ball, have your pro shop use a Haus or similar resurfacing machine to remove the track then restore the ball to its original factory finish. This service is available, for a fee, at many pro shops.
4. If your ball has more than 50 games on it, you may be able to increase mid-lane and back-end hooking action by removing oil from the coverstock. Remove the oil from the ball by gently warming it with either the **Revivor** or **Rejuvenator** pro shop devices that have been designed for this purpose. The service is available, for a fee, at many pro shops. Brunswick testing has shown that by combining the restoration of the factory finish, resurfacing of the track and oil removal, your Brunswick ball can maintain its original "out of the box" reaction for hundreds of games. **Do not use a home oven to remove oil. Temperatures cannot be adequately controlled and the ball may crack.**
5. Absorbent materials sold by other bowling ball manufacturers to remove oil can also be used on Brunswick bowling balls. Information to date seems to indicate that absorbent materials have a more limited ability to remove oil than warming. You may be disappointed with results on heavily oil soaked balls.

NOTE: Oil soaked balls tend to traction less in the oil and respond less to the dry boards on the lane. If you are matching-up using an oil soaked ball on wet/dry or broken down lane conditions, removing the oil from the ball will significantly change your match-up and possibly create undesirable over reactions.

For the most up-to-date product line information visit bowlwithbrunswick.com/balls.