Brunswick Crown Foaming Cleaner (210 ml)

SDS Revision Date: 09/13/2016



1. Identification

1.1. Product identifier

Product Identity Brunswick Crown Foaming Cleaner (210 ml)

Alternate Names Product Code: 56B60615210

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Bowling ball cleaner.

Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Brunswick Bowling Products, LLC

525 W. Laketon Ave.

Muskegon, MI 49441 USA

Emergency

24 hour Emergency Telephone No. US: 1-800-255-3924

CHEMTEL +1 813-248-0585

Customer Service: Brunswick Bowling & Billiards 231-725-4966

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Skin Irrit. 3;H316 Causes mild skin irritation. (Not adopted by US OSHA)

Eye Dam. 1;H318 Causes serious eye damage.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



Danger

H316 Causes mild skin irritation.

Brunswick Crown Foaming Cleaner (210 ml)

SDS Revision Date:

09/13/2016



H318 Causes serious eye damage.

[Prevention]:

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P310 Immediately call a POISON CENTER or doctor / physician.

P332+313 If skin irritation occurs: Get medical advice / attention.

[Storage]:

No GHS storage statements

[Disposal]:

No GHS disposal statements

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Dimethyldodecylamine oxide CAS Number: 0001643-20-5	5 - 10	Skin Irrit. 2;H315 Eye Dam. 1;H318 Aquatic Acute 1;H400	[1]
D-Glucopyranose, oligomers, decyl octyl glycosides CAS Number: 0068515-73-1	5 - 10	Eye Dam. 1;H318	[1]
Tripropyleneglycol n-butyl ether CAS Number: 0055934-93-5	5 - 10	Not Classified	[1]
Sodium xylene sulfonate CAS Number: 0001300-72-7	1 - 5	Eye Irrit. 2;H319	[1]
Tetrasodium Iminodisuccinate CAS Number: 0144538-83-0	1 - 5	Not Classified	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

^[1] Substance classified with a health or environmental hazard.

^[2] Substance with a workplace exposure limit.

^[3] PBT-substance or vPvB-substance.
*The full texts of the phrases are shown in Section 16.

Brunswick Crown Foaming Cleaner (210 ml)

SDS Revision Date: 09/13/2016



4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview EYES: Irritation, redness, watering eyes

SKIN: Irritation, defatting and drying out skin. SKIN ABSORPTION: None Expected.

INGESTION: Nausea, diarrhea, gastrointestinal irritation

INHALATION: Can irritate mouth, throat.

ACUTE TOXICITY: None known.

CHRONIC EFFECTS: None known. See section 2 for further details.

Eyes Causes serious eye damage.

Skin Causes mild skin irritation. (Not adopted by US OSHA)

5. Fire-fighting measures

5.1. Extinguishing media

Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Oxides of carbon, sulfur.

5.3. Advice for fire-fighters

Fight fire with normal precautions from a reasonable distance.

As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

ERG Guide No. ----

Brunswick Crown Foaming Cleaner (210 ml)

SDS Revision Date:

09/13/2016



6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

SMALL SPILL: Pick up wash liquid with additional absorbent and place in a disposable container. LARGE SPILL: Dike area in front of spill and contain for appropriate disposal.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Slightly water polluting substance.

LAND SPILL: Avoid runoff into storm sewers and ditches which lead to waterways.

AIR SPILL: None Expected.

7. Handling and storage

7.1. Precautions for safe handling

Use good industrial practice.

Individuals with sensitive skin should wear gloves when handling.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Store in a well-ventilated place. Keep cool.

Incompatible materials: Oxidizing materials.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

Brunswick Crown Foaming Cleaner (210 ml)

SDS Revision Date:

09/13/2016



8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0001300-72-7	Sodium xylene sulfonate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0001643-20-5	Dimethyldodecylamine oxide	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0055934-93-5	Tripropyleneglycol n-butyl ether	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0068515-73-1	D-Glucopyranose, oligomers, decyl octyl glycosides	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0144538-83-0	Tetrasodium Iminodisuccinate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

8.2. Exposure controls

Respiratory If workers are exposed to concentrations above the exposure limit they must use the

appropriate, certified respirators.

Eyes Eye protection can mitigate potential irritation from mist / spray.

Skin Use personal protective equipment as required. Individuals with sensitive skin should wear

gloves when handling.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

Brunswick Crown Foaming Cleaner (210 ml)

SDS Revision Date:

09/13/2016



using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance Clear Liquid

Odor Mild

Odor threshold Not determined

H ~ 8 to 9

Melting point / freezing point Not Applicable

Initial boiling point and boiling range (210°F) to (220°F)

Flash Point None to boiling

Evaporation rate (Ether = 1) Not yet Determined

Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: 0

Vapor pressure (Pa)

Upper Explosive Limit: 0

Not Established

Vapor DensityNot EstablishedSpecific Gravity~ 1 to 1.03Solubility in WaterSoluble

Partition coefficient n-octanol/water (Log Kow)

Auto-ignition temperature

Not Established

Decomposition temperature

Not Established

Viscosity (cSt)

Not Established

VOC Content This product is a non-VOC contributor

Percent Volatile (by volume) 85 - 90

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

Brunswick Crown Foaming Cleaner (210 ml)

SDS Revision Date:

09/13/2016



No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Oxidizing materials.

10.6. Hazardous decomposition products

Oxides of carbon, sulfur.

11. Toxicological information

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Dimethyldodecylamine oxide - (1643-20-5)	>2,000.00, Rat - Category: 5	>2,000.00, Rat - Category: 5	No data available	No data available	No data available
D-Glucopyranose, oligomers, decyl octyl glycosides - (68515-73-1)	>2,000.00, Rat - Category: 5	>2,000.00, Rabbit - Category: 5	No data available	No data available	No data available
Tripropyleneglycol n-butyl ether - (55934-93-5)	No data available	No data available	No data available	No data available	No data available
Sodium xylene sulfonate - (1300-72-7)	3,001.00, Rat - Category: 5	>2,000.00, Rabbit - Category: 5	No data available	No data available	No data available
Tetrasodium Iminodisuccinate - (144538-83-0)	No data available	No data available	No data available	No data available	No data available

Carcinogen Data

CAS No.	Ingredient	Source	Value
0001300-72-7	Sodium xylene sulfonate	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0001643-20-5 Dimethyldodecylamine oxide		OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
IARO		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0055934-93-5	Tripropyleneglycol n-butyl ether	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0068515-73-1	D-Glucopyranose, oligomers, decyl octyl glycosides	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No

Brunswick Crown Foaming Cleaner (210 ml)

SDS Revision Date:

09/13/2016



			IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
C	144538-83-0	Tetrasodium Iminodisuccinate	OSHA	HA Select Carcinogen: No		
			NTP	Known: No; Suspected: No		
			IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		

Classification	Category	Hazard Description	
Acute toxicity (oral)		Not Applicable	
Acute toxicity (dermal)		Not Applicable	
Acute toxicity (inhalation)		Not Applicable	
Skin corrosion/irritation	3	Causes mild skin irritation. (Not adopted by US OSHA)	
Serious eye damage/irritation	1	Causes serious eye damage.	
Respiratory sensitization		Not Applicable	
Skin sensitization	Not Applicable		
Germ cell mutagenicity		Not Applicable	
Carcinogenicity		Not Applicable	
Reproductive toxicity		Not Applicable	
STOT-single exposure		Not Applicable	
STOT-repeated exposure		Not Applicable	
Aspiration hazard		Not Applicable	

12. Ecological information

12.1. Toxicity

Toxic to aquatic life

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Dimethyldodecylamine oxide - (1643-20-5)	31.80, Danio rerio	9.50, Daphnia magna	0.86 (72 hr), Pseudokirchneriella subcapitata
D-Glucopyranose, oligomers, decyl octyl glycosides - (68515-73-1)	541.82, Scophthalamus maximus	101.00, Daphnia magna	27.22 (72 hr), Desmodesmus subspicatus
Tripropyleneglycol n-butyl ether - (55934-93-5)	Not Available	Not Available	Not Available
Sodium xylene sulfonate - (1300-72-7)	1,581.00, Oncorhynchus mykiss	40.31, Daphnia magna	310.00 (72 hr), Desmodesmus subspicatus
Tetrasodium Iminodisuccinate - (144538-83-0)	Not Available	Not Available	Not Available

Brunswick Crown Foaming Cleaner (210 ml)

SDS Revision Date: 09/13/2016



12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

DOT (Domestic Surface IMO / IMDG (Ocean ICAO/IATA Transportation) Transportation)

14.1. UN numberNot RegulatedNot RegulatedNot Regulated14.2. UN proper shippingNot RegulatedNot RegulatedNot RegulatednameNot Regulated

14.3. Transport hazard DOT Hazard Class: Not IMDG: Not Applicable Air Class: Not Applicable

class(es) Applicable Sub Class: Not Applicable

14.4. Packing group Not Applicable Not Applicable Not Applicable

14.5. Environmental hazards

IMDG Marine Pollutant: No

14.6. Special precautions for user

No further information

15. Regulatory information

Brunswick Crown Foaming Cleaner (210 ml)

SDS Revision Date:

09/13/2016



Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance All components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA) Inventory.

WHMIS Classification D2B E

US EPA Tier II Hazards Fire: No

Sudden Release of Pressure: No

Reactive: No Immediate (Acute): Yes Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Pennsylvania RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H315 Causes skin irritation.

H318 Causes serious eye damage.

Brunswick Crown Foaming Cleaner (210 ml)

SDS Revision Date:

09/13/2016



H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material in any process, unless specified in the text.

End of Document